

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

XI. Abstract of a meteorological journal kept at Benares during the years 1824, 1825, and 1826. By James Prinsep, Esq. Assay Master of the mint at Benares. Communicated by Peter Mark Roger, M.D. Secretary of the Royal Society.

Read January 25, 1828.

THE three principal Tables, each of which comprises the abstract for one year of the meteorological journal at Benares, are followed by two others, numbered I. and II., presenting the mean daily oscillations of the barometer, and the monthly deviations from its average height, for each month during four successive years, accompanied by the corresponding variations of the thermometer from its mean. These tables exhibit the remarkable coincidence preserved by these phænomena throughout the year. The indications of the barometer are all reduced to the freezing point by Dulong and Petit's formula for the dilatation of mercury. I have inserted in the first column of Table I. the mean of three years' observations made at Berhampoor by Dr. A. Russel; but the instrument employed being of the mountain construction, the mercury did not move freely in the tube, which will account for the oscillations being uniformly less than those measured by myself. Mr. Daniell has noticed the liability of barometers to deteriorate from the accumulation of air bubbles above the mercury: to obviate this cause of error, I made frequent comparisons with one of Wollaston's boiling thermometers. From October 1823 to August 1825, the error from this cause amounted to .046 inch, and I deemed it necessary to reboil the barometer; it then stood, as nearly as possible, correct once more. All of my tables have been cleared of the minute error thus found.

As a graphic representation more readily enables the eye to estimate the agreement of two lines in motion, I have delineated in a diagram the courses indicated by Table II., only reversing the direction of one curve, that the two lines may be collateral with respect to the centre line which stands for the annual mean. The scales at the sides will explain the formation of the curves. The year 1826 is omitted in the diagram, because the last two months are wanting in the series of observations.

Abstract of a Meteorological Journal: Benares, 1824.

		· ·				T.	Thomsonoton			Wet Bulk	Wet Bulk Thomas					
		Daro	Darometer.			Therm	Ometer.		Ì	mer nam	Therm.	Hair Hvero.	Evapo-	D.:.	Wind	1
٦	Date.	Obs.	Mean.	Interior.	ior.	Exterior.	rior.	Extremes.	nes.	Mean.	Diff. +0.8	meter.	ration.	Kalin.	w ind.	Weather.
Jan	$9 \text{A.M.} \\ 5\frac{1}{2} \text{P.M.}$	A.M. 29.892 P.M. 29.807	29.849	59.82 62.35	61.08	57.32 63.27	60.29	49.68	59.52	56.60	4.49	94.1	1.924	One shower.	W. and Calm.	Foggy: clear: change.
Feb	$10\frac{1}{2}$ A.M. $\frac{2}{5}$ F.M. $\frac{2}{2}$	9.786 9.688	29.737	$66.40 \\ 70.12$	98.39	68.16 67.32	67.74	55.40	65.96	61.34	7.20	83.7	3.220		W. and Calm.	Cirrocum. Hard winds.
March	$10\frac{1}{2}$ A.M. 29.752 $6\frac{1}{4}$ P.M. 29.650	$\frac{29.752}{29.650}$	29.701	$75.70 \\ 80.22$	77.96	79.4283.40	81.41	66.30 86.11	02.92	67.32	14.89	83.0	289.9	0.240	W.	Several gales.
April	10 A.M. 29.659 $6\frac{1}{2}$ P.M. 29.544	29.659 29.544	29.601	82.85 86.89	84.87	85.42 92.38	88.90	73.75	84.42	70.84	18.86	80.1	10.697	0.140	W.	Steady weather.
May	10 A.M. $6\frac{3}{4}$ P.M.	A.M. 29.500 P.M. 29.385	29,442	88.59 92.05	90.32	$\begin{array}{c} 95.12 \\ 99.66 \end{array}$	97.39	80.97 103.70	92.33	74.38	23.81	83.2	13.044	0.400	N.W. E. Var.	Clear: then misty: then gale and violent storm. (Sultan- poor barracks blown down.)
June	$10\frac{1}{4}$ A.M. 29.387 6 P.M. 29.274	29.387 29.274	29.330	89.11 92.46	90.78	89.76 89.42	89.59	101.65	89.38	84.42	5.97	6.06	8.157	3.015	W. Var. E:	Little rain, but cloudy.
July	11 A.M. 5 P.M.	A.M. 29.322 P.M. 29.253	29.287	85.65 86.43	86.43	85.79 85.95	85.87	80.18	85.29	82.65	4.02	8.96	2.785	17.480	S.W. E.	Settled rain.
August	10 A.M. $5\frac{1}{4}$ P.M.	A.M. 29.402 P.M. 29.344	29.373	81.76 90.33	86.04	85.96 85.15	85.55	80.60	85.30	83.28	3.07	94.8	2.318	9.152	Calm. E. Var.	Fine towards the 15th.
Sept.	$10\frac{1}{2}$ A.M. 29.572 $5\frac{1}{2}$ P.M. 29.484	29.572 29.484	29.528	85.65 88.06	36.85	84.90 86.94	85.92	77.43	84.38	80.11	6.61	9.78	3.781	2.850	W. Var. E.	Showers: clear: cloudy.
Oct	$10\frac{1}{2}$ A.M. 29.712 $5\frac{1}{2}$ P.M. 29.627	29.712 29.627	29.669	81.60 82.93	92.28	$80.94 \\ 81.15$	81.04	72.28	79.12	78.81	3.03	87.1	2.911	3.125	E. Calm. Var.	A gale from W: then clear: then squally.
Nov	$10\frac{1}{2}$ A.M. 29.819 5 F.M. 29.729	29.819 29.729	29.774	74.36 76.37	75.36	72.11 73.78	72.94	59.68 78.50	60.69	68.99	6.85	81.0	2.925	0.500	Var. Calm.	Cleared up.
Dec	$10\frac{1}{2}$ A.M. 29.873 5 P.M. 29.797	29.873 29.797	29.835	65.56 67.16	96.36	62.15 64.49	63.32	50.58	59.04	58.19	5.93	82.8	2.005	1.420	W. Var. S. E.	Clear and fine: gale on the soth.
Ann	Annual Mean		29.593		79.71		79.99		77.50	72.07		87.04				

* This thermometer stands 0.8 deg. higher than the others; this quantity is therefore added to the column of differences.

Abstract of a Meteorological Journal: Benares, 1825.

	Weather.	Unseasonable strati: fogs: rain; storms: cumuli.	Clear: cirri. Several heavy storms:	Dull haze: violent storm: clear.	Clear: cirrostrati: hard gale E. Changeable.	Clear: gale from N.	Cloudy: hard gale E: showers.	Heavy rain: cloudy.	Hot and cloudy.	Gale three days: cumuli: cum cirri.: fair.	Rain and gale: dry weather: clear.	Cloudless sky to the 18th: then showers.	Dry and colder than usual.	
	Wind.	Var. E. W.	Var. W.	E. Var. SE. W.	Calm. W. SE.	Var.	NE. W. NE. Calm.	ម៉	SW.	Var.	S. Calm. W.	W. Gentle. W.	W. Regular.	
	Rain.	Inches. 4.095	5.325	0.335	0.025		5.725	11.050	4.650	9.020	6.130	0.550		
Evano.	ration.	Inches.	2.406	4.029	12.669	16.864	7.720	4.447	4.426	2.657	3.003	3.168	3.852	
Hygr.	Mean.	90.5	83.0	79.5	9.92		neter.			88.4	83.2	8.92	74.7	
Hair Hygr.	Obs ^{ns} .	92. 89.	85. 81.	83. 76.	79.2	Broken and replaced by an	Hygrometer.			94.1 82.3	84.8 81.6	80.5	76.2	
erm.	Diff. +0.8.	2.78	7.02	11.38	18.11	16.88	13.09	4.69	6.55	4.86	6.29	7.20	2.63	
Wet Bulb Therm.	Mean.	61.55	63.39	65.51	72.61	78.68 16.88	80.18	82.47	81.80	80.43	75.38	64.91	56.74	71.97
Wet]	Obs ^{ns} .	61.05 62.06	63.08 63.70	66.00 65.02	73.93 71.30	79.31	79.99 80.38	82.29 82.65	$81.30 \\ 82.30$	80.57 80.29	74.74 76.03	64.73 65.09	55.45 58.03	
	mes,	61.13	65.02	73.84	87.65	93.61	91.56	85.70	86.05	83.69	79.54	96.89	60.75	78.12
	Extremes,	54.12 68.14	56.98 73.07	63.68 84.00	75.11	81.79 105.43	85.19 97.93	$81.82 \\ 89.58$	$81.76 \\ 90.34$	79.95 87.43	74.68 84.41	62.29 75.63	$53.02 \\ 68.47$	
Thermometer.	rior.	63.53	69.61	75.09	89.92	94.76	92.47	96.36	87.55	84.49	80.87	71.31	63.57	79.96
Therm	Exterior.	62.97 64.09	67.11	74.22	88.05 91.90	$93.39 \\ 96.14$	90.00 93.65	$\begin{array}{c} 85.82 \\ 86.91 \end{array}$	86.61 88.50	83.85 85.13	$\begin{array}{c} 80.05 \\ 81.69 \end{array}$	69.84 72.78	61.34 65.80	
	rior.	65.35	68.95	76.47	85.84	89.82	90.00	87.83	88.80	85.96	82.24	74.04	66.6 2	80.16
	Interior.	64.54 66.15	67.88 70.02	74.53	85.29 86.39	$\begin{array}{c} 89.10 \\ 90.54 \end{array}$	89.68 90.32	87.03 88.64	87.68 89.92	85.13 86.79	81.13 83.35	72.59 75.48	65.15 68.10	
Barometer.	Mean.	29.840	29.767	29.729	29.605	29.540	29.365	29.361	29.471	29.524	29.653	29.773	29.812	29.620
Baron	Obs.	29.883 29.797	29.803 29.732	29.785 29.673	29.661 29.550	29.595 29.485			29.518 29.425	29.581 29.468		29.829 29.718	29.868 29.766	
	Date.	$10\frac{3}{4}$ A.M. 5 P.M.	11 A.M. 4½ P.M.	$10\frac{1}{2}$ A.M. $5\frac{1}{2}$ P.M.	10° A.M. $5\frac{3}{4}$ P.M.	10 A.M. 6 P.M.	10 A.M. 29.420 64 P.M. 29.311	$10\frac{3}{4}$ A.M. 29.404 $6\frac{1}{4}$ P.M. 29.317	$10\frac{1}{2}$ A.M. 29.518 6 P.M. 29.425	$10\frac{1}{4}$ A.M. 29.581 6 P.M. 29.468	$10\frac{1}{4}$ A.M. 29.702 $5\frac{1}{2}$ P.M. 29.615	$10\frac{3}{4}$ A.M. 29.829 $5\frac{1}{2}$ P.M. 29.718	$10\frac{1}{2}$ A.M. $5\frac{1}{2}$ P.M.	:
. 1	n	Jan	Feb	March	April	May	June	July	August	Sept	Oct	Nov	Dec	Average

Abstract of a Meteorological Journal; Benares, 1826.

	n. Wind. Weather.	es. W.		W. Steady: clear.	0.410 Var. Very dry on 31st.	. Steady hot wind.	Calm. Several storms: W. Several storms: E. Declipsed 21st.	85 Var. gale.	30 E. Heavy rain.	20 Very Cloudy and Showery.	70 E. Set in fine on the W. 16th.	W. Clear and fine:
Ē	Evapo- ration. Rain.	Inches. Inches.	3.138 0.150	3.928	9.853 0.4	16.789	13.589 0.180	7.559 1.885	3.980 25.730	3.314 11.720	7.010 4.270	8.000 0.100
Hair Hygr.	os. Mean.		.8 71.6	.6 .4 56.0	.2 58.1	8.09	.4 70.0	84.9 72.2 79.6	91.6 89.2	93.0 91.9	84.8 81.8	78.3 74.2
Therm. H	Diff. Obs.		8.69 69.8	$\begin{array}{c c} 13.0 & 59.6 \\ 52.4 & \end{array}$	$64.23 17.3 62.4 \\ 54.2$	$67.83 \begin{vmatrix} 22.9 \\ 60.5 \end{vmatrix}$	73.21 18.9 73.4	9.3	4.1	3.0	6.4	
Wet Bulb Th	os. Mean.	0	86 55.73	89 57.87 13.0	63.75 64.23 64.72	$\begin{vmatrix} 23 \\ 43 \end{vmatrix} 67.83$	$\begin{vmatrix} 45 \\ 98 \end{vmatrix} 73.21$	$\begin{vmatrix} 80.40 \\ 80.17 \end{vmatrix} 80.29$	$\frac{81.69}{81.55}$ $\frac{81.62}{81.55}$	$\begin{vmatrix} 81.91 \\ 81.64 \end{vmatrix} 81.77$	80.28 79.59 79.93	72.87 72.95 10.4 73.03
M	mes. Obs.	r. G	69.72 61.64 57.86	67.22 57.89	77.23	88.36 67.23 68.43	90.83 73.45 7	39.61	34.17	83.19	34.43	30.57
ŗ.	Extremes.			$70.13 \begin{vmatrix} 57.81 \\ 76.64 \end{vmatrix} 67.22$	67.91 86.55	89.92 78.41 8	81.84 99.82	88.78 85.66 8	84.89 87.64	80.04 86.35	85.75 79.86 89.01	73.96 87.18
Thermometer.	Exterior.	34	66.45 63.87	67.62 72.64 70.13	77.98 83.59 80.78	$\begin{vmatrix} 87.31 \\ 92.52 \end{vmatrix} 89.9$	87.98 93.83 90.91	87.72 89.85 88.7	84.42 84.8	83.99 84.15 84.07	85.22 86.29 85.7	81.19 83.94 82.56
TE	rior.	<u>.</u>	99 88.99	72.38	79.89	84.69	89.0%	89.91	87.08	85.76	87.21	85.10
	Interior.	64.85	68.91	71.38	77.14 82.65	83.85 85.54	88.18 89.87	5 88.64 91.18	4 86.74 87.43	85.28 86.24	86.56 87.86	83.93 86.27
ometer.	Mean.		29.787	689.62	29.698	29.558	5 8 29.506	29.355	3 29.294	$\begin{vmatrix} 0 \\ 29.431 \end{vmatrix}$	9 29.502	$\frac{7}{3} 29.708$
Barom	Obs.	90.835	5½ P.M. 29.740	$10\frac{1}{2}$ A.M. 29.737 $5\frac{1}{2}$ P.M. 29.641	r. 29.75] [. 29.64	10 A.M. 29.625 6 P.M. 29.492	$9\frac{1}{2}$ A.M. 29.575 6 P.M. 29.438	$\frac{9\frac{1}{2}}{6\frac{1}{4}}$ A.M. $\frac{29.406}{29.304}$	$9\frac{1}{2}$ A.M. 29.325 6 P.M. 29.263	10 A.M. 29.470 6 P.M. 29.391	$\begin{array}{c c} 10\frac{1}{2} \text{ A.M.} & 29.549 \\ 6 & \text{P.M.} & 29.456 \end{array}$	10 A.M. 29.757 6 P.M. 29.660
	Date.	10 <u>1</u> A.M	5 P.M	10 <u>1</u> A.M 5 <u>1</u> P.M	March $10\frac{1}{5}$ A.M. 29.751 $5\frac{1}{5}$ P.M. 29.645						$\begin{vmatrix} 10\frac{1}{2} \text{ A.M} \\ 6 \text{ P.M} \end{vmatrix}$	10 6
	A)	Jan	Feb.	March	April	May	June	July	Aug	Sept	Oct

TABLE I.	Daily	Oscillations.
----------	-------	---------------

	·	В	aromete	er.			The	ermome	ter.	
Month.	5 Years by Dr. Russel.	1824.	1825.	1826.	Mean of 3 last.	1823.	1824.	1825.	1826.	Mean.
January	Inch073	Inch092	Inch. .091	Inch. .109	.097	21 . 5-	19.7	14.0	16 . 1	17 . 8
February	.098	.109	.096	.103	.103	21.0	21.1	16.1	18.8	19.2
March	.098	.117	.124	.122	.121	24.0	19.8	20.3	18.6	20.7
April	.103	.127	.113	.135	.125	26.5	21.3	25.1	19.9	23.2
May	.103	.120	.113	.140	.124	23.4	22.7	23.6	18.0	21.9
June	.084	.119	.111	.109	.113	20.3	24.5	11.7*	7.9	16.1
July	.062	.071	.091	.070	.077	9.3	10.2	7.7	6.9	9.0
August	.068	.084	.099	.082	.088	8.9	9.4	8.6	6.3	8.3
September	.070	.094	.117	.098	.103	9.5	13.9	8.5	9.2	10.3
October	.070	.103	.094	.102	.100	16.0	13.7	9.7	13.2	18.1
November	.070	.095	.120		.107	18.4	18.8	13.3		16.8
December	.075	.085	.111		.098	15.7	17.9	15.4		16.3

^{*} From this month the Register Thermometer stood in a new house much less exposed than before;—the ranges are consequently much smaller.

Table II. Monthly Deviations.

Month.		Baro	meter at	: 32°.		Thern	nometer	(mean	of extre	emes.)
Month.	1823.	1824.	1825.	1826.	Mean.	1823.	1824.	1825.	1826.	Mean.
January	+.285	+.299	+.277	+.232	+.273	_ 1°6.7	i°.0	_ 1°7.0	_1°6.5	-1°7.0
February	+.233	+.165	+.184	+.119	+.175	-10.7	11.5	-13.1	-10.9	11.5
March	+.095	+.106	+.124	+.104	+.107	+ 0.5	- 1.3	_ 4.3	- 0.9	- 1.5
April	083	016	027	048	043	+11.2	+ 6.9	+ 9.5	+10.3	+ 9.5
May	137	192	104	113	136	+12.7	+14.8	+15.5	+12.7	+13.9
June	307	304	278	267	 289	+15.7	+11.9	+13.4	+11.5	+13.1
July	 311	327	277	318	308	+ 6.1	+ 7.8	+ 7.6	+ 6.1	+ 6.9
August	227	242	168	175	203	+ 5.0	+ 7.8	+ 7.9	+ 5.1	+ 6.4
September	 130	041	108	111	098	+ 4.5	+ 6.9	+ 5.6	+ 6.3	+ 5.8
October	+.084	+.066	+.036	+.099	+.074	_ 0.1	+ 1.6	+ 1.4	+ 2.5	+ 1.3
November	+.169	+.201	+.175		+.181	-11.3	- 8.5	- 9.2		- 9.7
December	+.309	+.290	+.240		+.279	-17.0	-18.5	-17.4		-17.6

Mean Barometric Alt. 29°,468.

Mean Thermometric Alt. 77°.81.